



# Technical Details

# **Rusto**

Rust Inhibitive Primer

Edition:  
**March 2024**

# Rusto

## Rust Inhibitive Primer

Rusto converts rust into stable iron thereby arresting the oxidation process and improving the life of the paint applied on top

**BASE MATERIAL:**Solvent Based



### PRODUCT BENEFITS



**CONVERTS RUST INTO STABLE IRON**



**HAS A STRONG CHEMICAL BOND**



**STOPS THE OXIDATION PROCESS**



**CLEAR MORE THAN 350 HOURS OF SALT SPRAY TEST**

**NO NEED FOR STRONG BASE PREPARATION**



### PACKAGES AVAILABLE

**AVAILABLE IN TRANSPARENT AND PIGMENTED FORMAT**

**SHELF LIFE**  
18 Months


**COLOR**  
Clear



**1 LTR CAN**



**4 LTR CAN**



**20 LTR DRUM**

| <b><u>PARTICULARS</u></b>     | <b><u>CLEAR</u></b> | <b><u>PIGMENTED</u></b> |
|-------------------------------|---------------------|-------------------------|
| <b>VISCOCITY AT 30 DEGREE</b> | 100 sec             | 130 sec                 |
| <b>WEIGHT/LTR</b>             | 0.8 kg/Ltr          | 0.89 kg/Ltr             |
| <b>DILUTION MATERIAL</b>      | Turpentine oil      | Turpentine oil          |
| <b>SETTLING</b>               | Nil                 | Nil                     |
| <b>SURFACE DRYING</b>         | 35 min              | 35 min                  |
| <b>RECOATABILITY</b>          | After 12 hours      | After 12 hours          |
| <b>FINISH</b>                 | Glossy and smooth   | Semi glossy             |
| <b>BEST BEFORE</b>            | 18 Months           | 18 Months               |



## APPLICATION PROCEDURE

- Clear the surface of any loose particles with 100 no. emery paper
- Surface must be clear of any grease or oily material
- Mix M.T.O. 15 % -20% in Rusto to make it brushable or sprayable
- Apply two coats with a gap of 6 to 8 hours between coats

**COVERAGE:** 65-70 SQ.FT PER LTR



#786 Aggarwal Cyber Plaza 2, Netaji Subhash Place,  
Pitampura, New Delhi 110034

xylo@xylopaints.com | +91-9810156132

www.xylopaints.com

NEW DELHI | HARYANA | MAHARASHTRA | TAMIL NADU | KARNATAKA | KERALA